

# Pin Patch

DeMille Rep Plot Rev. K

96 RACK:

Page 1 of 3  
Updated 11/21/2015  
PDL

| DIM# | Circuit Name | Circuit Box | Chan# | Description                     |
|------|--------------|-------------|-------|---------------------------------|
| 1    | A1           | 43-48       | 90    | Frontlight Area 10              |
| 2    | A2           | 43-48       | 89    | Frontlight Area 9               |
| 3    | A3           | 43-48       | 88    | Frontlight Area 8               |
| 4    | A4           | 43-48       | 87    | Frontlight Area 7               |
| 5    | A5           | 43-48       | 86    | Frontlight Area 6               |
| 6    | B1 + B3      | 25-30       | 92    | Stage Left Warm Toners          |
| 7    | B2 + B4      | 25-30       | 94    | Stage Left Blue Toners          |
| 8    | B5           | 25-30       | 106   | Stage Left Apron Pipe-end FAR   |
| 9    | B6           | 25-30       | 116   | Stage Left Apron Pipe-end NEAR  |
| 10   | C1 + C3      | 31-36       | 91    | Stage Right Warm Toners         |
| 11   | C2 + C4      | 31-36       | 93    | Stage Right Blue Toners         |
| 12   | C5           | 31-36       | 101   | Stage Right Apron Pipe-end FAR  |
| 13   | C6           | 31-36       | 111   | Stage Right Apron Pipe-end NEAR |
| 14   | D1           | 37-42       | 85    | Frontlight Area 5               |
| 15   | D2           | 37-42       | 84    | Frontlight Area 4               |
| 16   | D3           | 37-42       | 83    | Frontlight Area 3               |
| 17   | D4           | 37-42       | 82    | Frontlight Area 2               |
| 18   | D5           | 37-42       | 81    | Frontlight Area 1               |
| 19   | E1           | 49-54       | 65    | 1st Electric SL Warm Down       |
| 20   | E2           | 49-54       | 45    | 1st Electric SL Cool Down       |
| 21   | E3           | 49-54       | 64    | 1st Electric SLC Warm Down      |
| 22   | E4           | 49-54       | 44    | 1st Electric SLC Cool Down      |
| 23   | E5           | 49-54       | 63    | 1st Electric SC Warm Down       |
| 24   | F1           | 55-60       | 43    | 1st Electric SC Cool Down       |
| 25   | F2           | 55-60       | 62    | 1st Electric SRC Warm Down      |
| 26   | F3           | 55-60       | 42    | 1st Electric SRC Cool Down      |
| 27   | F4           | 55-60       | 61    | 1st Electric SR Warm Down       |
| 28   | F5           | 55-60       | 41    | 1st Electric SR Cool Down       |
| 29   | G1           | 73-78       | 75    | 5th Electric SL Warm Down       |
| 30   | G2           | 73-78       | 55    | 5th Electric SL Cool Down       |
| 31   | G3           | 73-78       | 74    | 5th Electric SLC Warm Down      |
| 32   | G4           | 73-78       | 54    | 5th Electric SLC Cool Down      |
| 33   | G5           | 73-78       | 73    | 5th Electric SC Warm Down       |
| 34   | H1           | 79-84       | 53    | 5th Electric SC Cool Down       |
| 35   | H2           | 79-84       | 72    | 5th Electric SRC Warm Down      |
| 36   | H3           | 79-84       | 52    | 5th Electric SRC Cool Down      |
| 37   | H4           | 79-84       | 71    | 5th Electric SR Warm Down       |
| 38   | H5           | 79-84       | 51    | 5th Electric SR Cool Down       |
| 39   | I1           | 103-108     | 7     | In-1 Shin SL                    |
| 40   | I2           | 103-108     | 17    | In-1 Mid SL                     |

# Pin Patch

DeMille Rep Plot Rev. K

96 RACK:

Page 2 of 3  
Updated 11/21/2015  
PDL

| DIM# | Circuit Name | Circuit Box | Chan# | Description               |
|------|--------------|-------------|-------|---------------------------|
| 41   | I3           | 103-108     | 27    | In-1 Head SL              |
| 42   | I4           | 103-108     | 107   | In-1 Boom Top SL FAR      |
| 43   | I5           | 103-108     | 117   | In-1 Boom Top SL NEAR     |
| 44   | J1           | 109-114     | 8     | In-2 Shin SL              |
| 45   | J2           | 109-114     | 18    | In-2 Mid SL               |
| 46   | J3           | 109-114     | 28    | In-2 Head SL              |
| 47   | J4           | 109-114     | 108   | In-2 Boom Top SL FAR      |
| 48   | J5           | 109-114     | 118   | In-2 Boom Top SL NEAR     |
| 49   | K1           | 115-120     | 9     | In-3 Shin SL              |
| 50   | K2           | 115-120     | 19    | In-3 Mid SL               |
| 51   | K3           | 115-120     | 29    | In-3 Head SL              |
| 52   | K4           | 115-120     | 109   | In-3 Boom Top SL FAR      |
| 53   | K5           | 115-120     | 119   | In-3 Boom Top SL NEAR     |
| 54   | L1           | 121-126     | 10    | In-4 Shin SL              |
| 55   | L2           | 121-126     | 20    | In-4 Mid SL               |
| 56   | L3           | 121-126     | 30    | In-4 Head SL              |
| 57   | L4           | 121-126     | 110   | In-4 Boom Top SL FAR      |
| 58   | L5           | 121-126     | 120   | In-4 Boom Top SL NEAR     |
| 59   | M1           | 127-132     | 2     | In-1 Shin SR              |
| 60   | M2           | 127-132     | 12    | In-1 Mid SR               |
| 61   | M3           | 127-132     | 22    | In-1 Head SR              |
| 62   | M4           | 127-132     | 102   | In-1 Boom Top SR FAR      |
| 63   | M5           | 127-132     | 112   | In-1 Boom Top SR NEAR     |
| 64   | N1           | 133-138     | 3     | In-2 Shin SR              |
| 65   | N2           | 133-138     | 13    | In-2 Mid SR               |
| 66   | N3           | 133-138     | 23    | In-2 Head SR              |
| 67   | N4           | 133-138     | 103   | In-2 Boom Top SR FAR      |
| 68   | N5           | 133-138     | 113   | In-2 Boom Top SR NEAR     |
| 69   | O1           | 139-144     | 4     | In-3 Shin SR              |
| 70   | O2           | 139-144     | 14    | In-3 Mid SR               |
| 71   | O3           | 139-144     | 24    | In-3 Head SR              |
| 72   | O4           | 139-144     | 104   | In-3 Boom Top SR FAR      |
| 73   | O5           | 139-144     | 114   | In-3 Boom Top SR NEAR     |
| 74   | P1           | 145-150     | 5     | In-4 Shin SR              |
| 75   | P2           | 145-150     | 15    | In-4 Mid SR               |
| 76   | P3           | 145-150     | 25    | In-4 Head SR              |
| 77   | P4           | 145-150     | 105   | In-4 Boom Top SR FAR      |
| 78   | P5           | 145-150     | 115   | In-4 Boom Top SR NEAR     |
| 79   | Y1           | 223-228     | 70    | 3rd Electric SL Warm Down |
| 80   | Y2           | 223-228     | 50    | 3rd Electric SL Cool Down |

# Pin Patch

DeMille Rep Plot Rev. K

## 96 RACK:

Page 3 of 3  
Updated 11/21/2015  
PDL

| DIM# | Circuit Name | Circuit Box | Chan# | Description                |
|------|--------------|-------------|-------|----------------------------|
| 81   | Y3           | 223-228     | 69    | 3rd Electric SLC Warm Down |
| 82   | Y4           | 223-228     | 49    | 3rd Electric SLC Cool Down |
| 83   | Y5           | 223-228     | 68    | 3rd Electric SC Warm Down  |
| 84   | R1           | 271-276     | 48    | 3rd Electric SC Cool Down  |
| 85   | R2           | 271-276     | 67    | 3rd Electric SRC Warm Down |
| 86   | R3           | 271-276     | 47    | 3rd Electric SRC Cool Down |
| 87   | R4           | 271-276     | 66    | 3rd Electric SR Warm Down  |
| 88   | R5           | 271-276     | 46    | 3rd Electric SR Cool Down  |
| 89   |              | Spare       |       |                            |
| 90   |              | Spare       |       |                            |
| 91   |              | Spare       |       |                            |
| 92   |              | Spare       |       |                            |
| 93   |              | Spare       |       |                            |
| 94   |              | Spare       |       |                            |
| 95   |              | Spare       |       |                            |
| 96   |              | Spare       |       |                            |
| HP1  | (X1)         | Spare       |       | Hot Power                  |
| HP2  | (X2)         | Spare       |       | Hot Power                  |
| HP3  | (X3)         | Spare       |       | Hot Power                  |
| HP4  | X4           | 151-156     |       | ColorForce Hot Power       |
| HP5  | X5           | 151-156     |       | ColorForce Hot Power       |
| HP6  | X6           | 151-156     |       | ColorForce Hot Power       |
| HP7  |              | Spare       |       | Hot Power                  |
| HP8  |              | Spare       |       | Hot Power                  |

## 12 PACK:

| DIM# | Circuit Name | Circuit Box | Chan# | Description   |
|------|--------------|-------------|-------|---------------|
| 101  | 12-pack A1   | 97-102      | 6     | Apron Shin SL |
| 102  | 12-pack A2   | 97-102      | 16    | Apron Mid SL  |
| 103  | 12-pack A3   | 97-102      | 26    | Apron Head SL |
| 104  | 12-pack A4   | 97-102      | 1     | Apron Shin SR |
| 105  | 12-pack A5   | 97-102      | 11    | Apron Mid SR  |
| 106  | 12-pack A6   | 97-102      | 21    | Apron Head SR |
| 107  | 12-pack B1   | Spare       |       |               |
| 108  | 12-pack B2   | Spare       |       |               |
| 109  | 12-pack B3   | Spare       |       |               |
| 110  | 12-pack B4   | Spare       |       |               |
| 111  | 12-pack B5   | Spare       |       |               |
| 112  | 12-pack B6   | Spare       |       |               |